

Yea Create Steam Oven

Software Manual



Yea Create Steam Oven Software Manual

1.Configuration

Num	Function		Indicators
1	Software Platform		Linux
2	Software Release		Foshan Yea Create lot Co.,Ltd
3	OS version	WebOS	support WebOS V0b0b0707
4	Control Mode		IoT control
5	Language		Chinese

2. Functional overview

2.1 Boot interface LOGO

Num	Function description	Interacted	Hint
1	claogrs	/	/

2.2 Yea Create Steam Oven Main interface (standby status)

Ċ	09	9:03 🗁 🏠 🤶
< 功能	能烹饪 > < 辅助烹饪 > < 快:	 ・ のnekey 功能 ひっと
Num	Function description	Interacted
1	Standby Status	Enter the standby interface after booting
2	U Switch	Click to enter power saving mode
3	Share	users can scan the QR code to operate on the WeChat mobile phone (there is an introduction at the end of this document)
3	Door	The icon lights up when the furnace door is opened
4	-∵Ç- Light	After clicking, the stove light will beep once (the stove light will automatically turn on for three minutes and then turn off when cooking starts, pauses, or resumes)
5	Lock	Click to lock screen
6	WIFI	Click to enter the WIFI setting interface

Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第3页共33页

2.3 Yea Create Steam Oven Main interface (screensaver status)





Num	Function description	Interacted
		Enter the screen saver interface (power saving mode) after
1	Screensaver Status	1 minute of inactivity, you need to turn on the screen to
		resume the standby status, press the screen for 3s to unlock

2.4 Functional cooking interface



Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第4页共33页

Num	Fun desc	Interacted	Interface display			
1	Pure Cooking 纯蒸		 ○ 合 器 功能烹饪-纯蒸 ● ◇ 合 奈 ● 95 ● 19 ● ● ● ● ● ● ● ● ● ●			
2	Tender Cooking <mark>鲜嫩蒸</mark>		 ○ 合 器 功能烹饪-鲜嫩蒸 ② 合 器 80 29 85 ℃ 0 时 30 分 90 1 31 			
3	High-temp erature Cooking 高温蒸	After entering the page, you can set	 ⇒ 命 課 功能烹饪-高温蒸 ○ ☆ 合 奈 115 19 ○ 120 c 0 时 20 分 125 1 21 			
4	Tender Roast <mark>嫩烤</mark>	page, you can set the cooking power, time, appointment.	 → 合 器 功能烹饪-嫩烤 戸 ◇ 合 奈 175 19 180 ℃ 0 时 20 分 185 1 21 			
5	Microwave 微波		 ○ 合 器 功能烹饪-微波 ○ ◇ 合 奈 低火 02 ○ 中火 0 时 03 分 高火 1 04 			
6	Roast up and down 上下烤		 ⇒ 合 課 功能烹饪-上下烤 戸 ◇ 合 奈 175 29 180 c 185 31 			



Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第6页共33页

	Microwaya	りる器	功能烹饪-微波嫩烤 🗲	v 🌣 🔂 🤶
	Tender	2	85	19
14	Roast 微波嫩烤		微波嫩烤 90 ℃ 0 时	20 😚
	VX MX MX KS		95 1	21
	Microwave	♪ 合 嘂	功能烹饪-微波香嫩烤	v 🌣 🕀 🥱
	Microwave Tender	ゥ 合 器	功能烹饪-微波香嫩烤C	'☆ ᠿ 奈 ¹⁹ ⊘
15	Microwave Tender Roast 微波香嫩		功能烹饪-微波香嫩烤 140 微波香嫩 烤 150 で 0 时	20 ₂ 20 ₂

Take "Functional cooking-Microwave" as an example:

	計 功能烹	〔饪-微波 🗲	☆ ि 🤝
		低火	02
	微波	中火 0 时	03 分
		高火 1	04
Number	Description	Int	erface display
After selecting the firepower and duration, click the start button	All microwave functions (combined functions with microwave functions) have pop-up prompts, click the "Confirm" button, and start cooking after one beep click the		能烹饪-微波 C (A) 温馨提示 明金属或者封闭容器 3秒后开始启动 确认 例文 1 分 02 01 02 01 02 01 02 01 02 01 02 01 02 01 02 01 02 01 02 01 02 01 00 01 00 00 01 00 00 00 00 00 00 00
Click the	"Cancel" button to return to the previous layer	00 京调	102:58 0:03 102か 中火 ()
button to pause cooking	After clicking, it will beep once, the steam oven will stop cooking, and the oven light will automatically turn on		能烹饪-微波 🗁 🔅 🔂 🤶 时间 ^{皆停中} 烹调时间 : 00 : 58 0 : 01)X力 中火 💽
Click the continue button to continue cooking	After clicking, it will beep once, and the steam oven will continue to cook	 → 合 器 功 利余 00 三 京選 	能烹饪-微波 🗁 🎲 🔂 🔶

Click the stop button to stop the current	After clicking confirm, it will beep once, the steam oven will stop working	 つ 合 器 功能烹饪-微波
cooking	and return to the functional cooking menu	 つ 合 器 功能烹饪 ○ ◇ 合 ○ → → → → → → → → → → → → → → → → → → →
Finished cooking	After cooking, it will beep once, and click the "Confirm" button in the pop-up box to return to the main interface	 つ 合 器 功能烹饪-微波 算 合 令 調时间 10 請取出您的菜品 10:01 通 込 蒸調火力 超低火
Click the Booking button to	Users can pre-determine the cooking time	 ▶ 合 副 ● 预约-微波 ○ 合 副 ● ① ○ 2 ○ 微波 1 时 3 分 >> 2 4
	according to their own needs	 つ 合 器 功能烹饪-微波 ▷ ◊ 合 预约时间 ☆波预约中 烹调时间 ① 1:02:59 1:06 ○ 減火力

			辅助烹饪 🗁 🎲 🔂 🤶
	() 定時	解冻	保温 子果
Num	Fun desc	Interacted	Interface display
1	Fermentation 发酵	After entering the page, you can set the cooking power, time, appointment.	 ☆ 品 課 第 助烹饪-发酵 ※ 品 奈 34 20 35 ℃ 0 时 40 分 36 20
2	Unfreeze 解冻		 ● 合 器 ● 400 29 ● <
3	Keep warm <mark>保温</mark>		 ○ 命 課 辅助烹饪-保温 ○ ◇ 合 奈 35 20 ○ 40 ℃ 0 时 40 分 45 20
4	Dried fruit 干果		 ○ 合 器 辅助烹饪-干果 ジ 合 奈 95 19 7 100 c 105 1 21

2.5 Assisted cooking interface

5	Stew 慢炖		 ○ 合 器 辅助烹饪-慢炖 ○ ◇ 合 ③ ● 優焼 120 c ○ 0 时 35 分 1 36
6	Dry 干燥	20 minutes of drying work	 ○ ○
7	Sterilization 除菌	It is divided into sterilization for mother and baby products and microwave sterilization, and the sterilization time can be set	 ○ 合 器 除菌-母婴用品除菌 ○ 合 器 母婴用品 除菌 □ 19 □ 19 □ 120 ℃ □ 10 円 20 分 ○ 合 器 ○ 合 3 分 ○ ○ ○ ○ ○ ○ ○ ○ ○
		Deodorization: 15 minutes of deodorization work	う 合 課 清洁-除味 ○ ☆ 合 奈
8	Clean 清洁	Cavity cleaning: 20 minutes of oven cleaning work	 ○ 合 器: 清洁-炉腔清洁 ○ ♥ 合 ⑦ ♥ 20 ↔ >
		Steam Line Cleaning: A 10-minute steam line cleaning is available.	 ○ 合 品: 清洁-蒸汽管路清洁 ▷ ☆ 合 ○ 前 : ○ ☆ 合 ○ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第11页共33页

			つの	辅助烹饪-除垢 🖙 🔅 🖯	
9	Descaling <mark>除垢</mark>	50 minutes of descaling work		院店 0 时 50 分 請在水箱内加入一包水垢清洁剂后加水至"最高水位线"充分 鹅样直至完全溶解放入水箱,然后点击启动 注意:至今过程分50分钟。陸坦完成后请使用"结蓝"功能5分钟去接味道	0

Take "Assisted cooking-Fermentation" as an example:

ら ら 企	器 辅助烹	饪-发酵	▶ ☆ ि	(Ú
		34	20	\bigcirc
	发酵	35 ℃ 0 pj	40 分	
		36 20		C
Number	Description		Interface display	
After selecting the firepower and duration, click the start button	Fermentation starts after 1 beep		辅助烹饪-发酵 ^{剰余时间 发酵烹饪中} 00:39:58 烹调温度	☞ ☆ 合 奈 烹调时间 0:40 35℃
Click the pause button to pause fermentation	After clicking, it will beep once, the steam oven will suspend fermentation, and the oven light will automatically light up		辅助烹饪-发酵 ^{剩余时间 暂停中} 00:39:27 烹调温度	☞ ☆ 合 奈 烹调时间 0:40 35℃

Click the continue button to continue fermentation	After clicking, it will beep once, and the steam oven will continue to ferment	 → 合 器 辅助烹饪-发酵 ● ◇ 合 奈 剰余时间 发酵烹饪中 00:39:25 0:40 原调温度 35℃
Click the stop button to stop the current	After clicking confirm, it will beep once, the steam oven stops working and	 つ 合 器 辅助烹饪-发酵
fermentation	returns to the Assisted cooking menu	• • • • • Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø
Fermentation is complete	After the fermentation is over, one beep will sound, and click the "Confirm" button in the pop-up box to return to the main interface	 ○ 合 器 辅助烹饪-发酵 ○ ◇ 合 奈 ○ 約 ○ 第 <
Click the Booking button to schedule the fermentation time	Users can pre-determine the fermentation time according to their own needs	 つ 合 副 预约-发酵 ○ ◇ 合 奈 (2) ◇ ○ ○ (2) ◇ ○ (2) ◇ ○ (2) ◇ ○ (2) ◇ ○ (3) ◇ ○ (4) ◇ ○ (5) ◇ (5) ◇ (6) ◇ ○ (7) ◇ ○

Ċ		快速	惠京任 🗁 🌾 🔂 🤝
	预热	(次)	A速蒸
Num	Fun desc	Interacted	Interface display
1	Preheat 预热		 つ 合 課 快速烹饪-预热 ○ ◇ 合 奈 175 02 ○ 180 ℃ 0 时 03 分 185 04
2	Microwave 微波	After entering the page, you can set	 ○ 合 副 快速烹饪-微波 ○ ◇ 合 奈 低火 02 ○ 中火 0 时 03 分 市火 1 04
3	Quick Steam 快速蒸	the cooking power, time, appointment.	 つ 合 器 快速烹饪-快速蒸 戸 ◊ 合 快速蒸 100 ℃ 0 时 20 分 1 21
4	Strengthe n hot air roast 加强热风 烤		 ○ 合 器 快速烹饪-加强热风烤 ◇ 合 奈 175 19 180 c 0 时 20 分 185 1 21

2.6 Fast cooking interface

		りる謡	快速	烹饪-脆烤	f 🖻	-\$ 7 -	⊕ 🛜
_	Crispy			145		19	\odot
5	Roast 脆烤		脆烤	150 ∘ c	0 时	20 分	
		A State		155	1	21	(L)

Take "Fast cooking-Preheat" as an example:

Number	Description	Interface display		
After selecting the firepower and duration, click the start button	Preheat starts after 1 beep	 つ 合 器 快速烹饪-预热 ○ ◇ 合 利余时间 预热烹饪中 烹调时间 00:02:53 0:03 烹调温度 180℃ (1) 		
Click the pause button to pause preheating	After clicking, it will beep once, the steam oven will pause to preheat, and the oven light will automatically light up	 つ 合 器 快速烹饪-预热 ○ ◇ 合 ○ 剰余时间 約6中 烹调时间 0:01:36 0:03 烹调温度 180℃ 		
Click the continue button to continue preheating	After clicking, it beeps once, and the steam oven continues to preheat	 ○ 合 副 快速烹饪-预热 ● ◇ 合 奈 剰余时间 预热烹饪中 烹调时间 00:02:57 0:03 ① 〒週温度 180℃ 		
Click the stop button to stop the current cooking	1 beep after clicking confirm, the steam oven stops working and returns to the fast cooking menu	つ 合 器 快速烹饪-预热 是否停止烹饪? 确认后将返回上一个界面 限調 確 以 素明温度 180℃		

Preheated	After the preheating is over, it will beep once, and click the "Confirm" button in the pop-up box to return to the main interface	快速烹饪-预热 開余時烹饪结束 00 请取出您的菜品 角 认 烹调曲度	 ➡ 读 合 奈 ➡ 源时间 D : 01 180°C
Click the Booking button to schedule a preheat time	Users can pre-determine the preheat time according to their own needs	预约-预热 0 预热 1 时 2 。	P ☆ ⊕ ? 2 3 分 4

2.7 Optional Menu-daogrs recipe interface





Num	Fun desc	Interacted	Interface display	
1	Staple food 主食类	For users to view the recipe descriptions of various ingredients, and enter the page to cook various ingredients	 ○ ○	
2	Fish 鱼类		various ingredients, and enter the page to cook various ingredients	and enter the page to cook various ingredients



Take daogrs recipe-Staple food-Beef and Lamb Soup as an

example:

Number	Description	Interface display	
The function, temperature and time have been preset for the user, click the start button	Start cooking after 1 beep	 夢り马蹄羊肉汤 夢り马蹄羊肉汤 夢り马蹄羊肉汤 夢り马蹄羊肉汤 かいまう り部::43 の1::15 100 ℃ の1::15 100 ℃ の1::14:55 処蒸烹饪中 の1:14:55 の1:14:55 (1) (1)	
Click the pause button to pause cooking	After clicking, it will beep once, the steam oven will stop cooking, and the oven light will automatically turn on	 ● 合 器 夢卜马蹄羊肉汤 ● 冷 合 (*) ● (*)	
Click the stop button to stop the current cooking	1 beep after clicking confirm, the steam oven stops working and returns to the fast cooking menu	つ 合 器 萝卜马蹄羊肉汤 C 茶 合 奈 是否停止烹饪? 马蹄羊肉汤 确认后将返回上一个界面 目 100 ℃ 蔬菜2饪中 费器 小贴士 工具食材	
Finished cooking	After cooking, it will beep once, and click the "Confirm" button in the pop-up box to return to the main interface	 う 合 器 萝卜马蹄羊肉汤 夢 ひ 合 京任结束 请取出您的菜品 通礼 通礼 近 (1) 5 100 °C 4 4 5 100 °C 4 4 5 100 °C 4 4 5 5 100 °C 4 4 5 5 100 °C 4 5 5 100 °C 4 4 4 4 4 4 5 4 <	
Click the Booking button to schedule a cooking time	Users can pre-determine the cooking time according to their own needs	 ○ 合 器 萝卜马蹄羊肉汤 ② ◇ 合 ○ ○	

第19页共33页

Step 步骤	For users to view the various steps of cooking	→ 合 器 Step-步骤
		1、羊肉洗干净切块。 2、把羊肉放入油锅中翻炒一下,微熟即可 3、将羊肉放进炖盅里加入920克水。 4、茎切片片,萝卜去皮切滚刀肤,马蹄对切。 5、将姜片、萝卜和马蹄倒进羊肉中。 6、炖盅放入蒸烤箱下层, 7、蒸烤箱的水晶装满水,选择"纯蒸"功能模式,设置温度100℃,时间 75分钟,然后启动程序。 8 whttle=即UU http://ant. 曲菊花的司
Tips 小贴士	For users to view cooking tips	っ 🎧 🔐 🛛 Tips-小贴士 🗁 🌣 🔒 🤝
		1、羊肉也可以掉水处理 2、蒸制时间与容器材料、食材(不同食的大小材烹饪的时间不一样)有 关。
	For users to view the tools and ingredients needed for cooking	っ ြ 嘂 Tool food-步骤 🗁 🌣 🔒 夸
Tool food 工具食材		工具: 1、铸铁料理锅 2、产品标配烤架 食材: 羊肉: 500克 白萝卜: 半根 无皮马蹄: 5个 调味料: 姜: 4片 白萝卜: 半根 盐: 1小匙

¢	合 嘂		Onek	ey功能 [6 🤶
		でである。			多段烹饪	
Num	Fun desc	Intera	acted		Interface disp	blay
1	One click fast	Click "O fast" to e function inter	ne-click enter the setting face	 一 品 課 一 建快: 一 建快: 一 建快: 一 健快: 一 健快: 一 健快: 一 健快: 一 健快: 一 健快: 	Onekey 功 史 中键快速	 能 () ○ ○
Number	Descr	iption		Inter	face display	
1	There are 15 cooking methods to choose from. Users can click to enter the page to set the cooking power and time, and then add them to the one-click fast list			· ·	- 健快速 译 ☆ ☆ ☆ ↓ ☆ ↓ ☆ ↓ ☆ ↓ ☆ ↓ ☆ ↓ ☆ ↓	

2.8 OneKey Function-One-click fast interface

2	Users can add up to 5 out of 15 cooking methods to the one-click quick task bar	 C → ① 印 Word ① Word ② Word ③ Word ③ Word ④ Word ④ Word ④ Word ④ Word ⑤ (6) ●
3	The preset cooking methods can be modified, deleted, and remarked on the interface	

2.9 OneKey Function-multi-stage cooking interface

Num	Fun desc	Inter	acted	Interface display
	multi-sta	Click "mı cooking'	Click "multi-stage cooking" to enter	 ○ 命 課 Onekey 功能 ○ ◇ 合 ○ ○<!--</td-->
1	ge cooking	the fu setting i	nction nterface	 ○ 品 器 多段烹饪 ○ ◇ ○ ○ ○ 第一段 第二段 第三段 第四段
Number	Descri	Description		Interface display

Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第22页共33页

1	There are 15 cooking methods to choose from. Users can click to enter the page to set the cooking power and time, and then add them to the multi-stage cooking list	
2	Users can add up to 4 out of 15 cooking methods to the multi-stage cooking task bar	 ○ 合 品 多段烹饪 ○ ◇ 合 ○ ○ ○<

2.10 Settings interface

Ċ	合器	设计	≝ ⊂ (); 🗗 🤝
亮度 6	调节 9%	*	WIFI连接 网络名称: yea_creat IP: 192.168.12.167	日期与时间 🛗 2021/07/23 10:51:29
屏幕	保护 🗅 用)	户管理	`设置 ② 图标说明 ■ →	版本号 回 V0b0b0707
Num	Fun desc	Interacted	Interfa	ice display
1	Bright adjustment	Swipe left and right to adjust the screen brightness	亮度调节 69% ————————————————————	*

2	WIFI connection	Optional WIFI hotspot input password to connect (no password hotspot can be directly connected)	○ 品 器 WIFI设置 ▷ ◇ 合 ○ 可用网络 ○ easyju yea_create_working_2.4G 当前连接 ⁶⁶ -78 是音加忠 是 sml >> 密码 请输入感码 yea_create_public >> yea_create_working testing >>
3	Date and Time	Date setting, time setting available	 ○ 合 器: □期设置 □期设置 □目期设置 ○ ◇ 合 ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
4	User Management	Username and password can be modified, there are three input methods (pinyin, handwriting, English) for users to choose, long press the delete key to delete Note: Handwriting input can be input under a good network environment	● 日 日 ●
5	Distribution network	Users can follow the distribution steps to carry out the WeChat	配网步骤 1、请确保手机已连接本地 WiFi。 2、使用微信扫一扫右边的二维码,添加思创物联微信公众号。 3、在思创物联微信公众号竞单中选择 产品中心 > 设备配网。 4、在微信页面中输入 WiFi 密码並点击连接。 5、最后点击下方开始配网按钮。 (注意: 和图时间可能长注一 四公轴 加 WiFi 信号程度面
	tutorial	distribution network operation	(江急: 和新時時時間的低低 (行力計, 12 mm 目的通道) 定。如配网失败清重复此步骤。) 开始配网 取 消

			с Ф		图标记	兑明	🖻 🔅	9 ()
7	lcon Description	lcon function description of each interface	<mark>し</mark> 关机	つ 返回	С Номе	广	☆ 炉灯	ि 童锁
			⊙ 开始	◎ 停止	● 继续	山 暂停	① 预约	
8	Screensaver	Click to enable the screen saver		屏 (幕保护 <mark>)</mark>	6	5	
9	Version	You can directly view the current version number of the device(user can click the "version number" for 10 times to enter the "self-check" interface to view the current status of the machine)		版	本号 /0b0b0	ए 707	Ū	
			 か () が门状态 软件版本 腔体上NTC器 腔体底部NTC器 炉心温度 食物NTC温度 	UIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	自れ 关闭 0.0-05060404 0℃ 0℃ 0℃ 0℃ 0℃ 0℃			

3. WeChat distribution network



3.1 Settings interface

Web:http://www.yeacreate.com | Email:business@yeacreate.com | Tel:(+86)0757-22128141 Add:No. 2003, 20th Floor, Block 3, Gaojun Technology Innovation Center, No. 1 Chaogui South Rd, Ronggui Xiaohuangpu, Shunde Dist, Foshan, China

第 25 页 共 33 页

1	Click User Management to enter the network configuration steps page	配网步骤 1、请确保手机已连接本地WiFi。 使用微信扫一扫右边的二雏母,添加思创物联微信公众号。 在思创物联微信公众号菜单中选择 产品中心 > 设备配网。 在微信页面中输入 WiFi 密码並点击连接。 最后点击下方开始配网按钮。 注意: 配网时回可能长达一、两分钟,视 WiFi 信号强度而定。如配网失败请重复此步骤。) 开始配网 取 消
2	Scan the QR code on the right side of the page on WeChat to enter the main page of the Wechat Official Account of Yea Create IoT	▲中国联通 ◆ 上午11:29 ④ 94% ■ ◆ 公众号 Q … 反文 ② 図初物联 歴的物联 官方公众号 ③ 12 个朋友关注



5	Click the Start Networking button to enter the password input interface, enter the Wi-Fi password, and click Connect	■中国联通 � 上午11:43 @ 90% ■) 取消 配置设备上网 「「中国联通 � L年11:43 @ 90% ■) 「「市 密码 近日 注接	
6	At the same time, click the Start distribution button on the oven interface to complete the steps of WeChat distribution network	配网步骤 清确保手机已连接本地 WiFi。 使用微信扫一扫右边的二维码,添加恩创物联微信公众号。 在恩创物联微信公众号菜单中选择 产品中心 > 设备配网。 在微信页面中输入 WiFi 密码並点击连接。 最后点击下方开始配网按钮。 (注意: 配网时间可能长达一、两分钟,视 WiFi 信号强度而定。如配网失败请重复此步骤。) 开始配网 取 消 	
7	After completing the above steps of network distribution, the oven interface will display the success or failure of network distribution		

4.Binding device

Ċ		11:4	19 🗁 🏠 🤝
<功	() 能烹饪 > < 车	() 前助烹饪 > < 快速烹	Onekey 功能 设置 文置 く自选菜单 >
Num	Fun desc	Interacted	Interface display
1	Binding device	After clicking, the QR code interface will pop up	 ● 部: ● 11:34 ● 分享设备 ● のekey <
2	Method 1: Scan on WeChat Method 2: Select Product Center > Steam Oven in the menu of Yea Create IoT WeChat Official Account, and click to scan the code to add the device	After scanning the QR code on WeChat on the mobile phone for 3 seconds, it will jump directly to the main interface. At this time, you can see the device added after scanning the QR code. (See Figure-1.1, 1.2)	★ 下午216 0 82% ● 図创物联 ・・・ ★ 別切破 ・・・ ★ 添加设备 ★ 小山(本)





Number	Description	Interface display
After selecting the firepower and duration, click the start button	Start cooking after a beep	★◆ 下年2:17 ④ 81% ■ × 感回物联 ···· ✓ 纯蒸 ① 温度设置 ⑧ 70 75 80 °C 85 90 时间设置 ② 1 22 23 0 时 24 分 1 25 26 确 认 ④ 时
Click the pause button to pause cooking	After clicking, it will beep once, the steam oven will stop cooking, and the oven light will automatically turn on	★ 下午 2:19 ● 81% ■ ※ 愿创物联 ···· 《 ② 81% ■ ※ 愿创物联 ···· 《 ② 100 □ 23 ③ ③ 23 ④ ③ 23 ⑤ ③ 23 ⑤ ③ 23 ⑥ ③ 23 ⑥ ③ 23 ⑧ ④ 23 ⑧ ④ 23 ⑧ ④ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑤ 23 ⑧ ⑥ 23 ⑧ ⑧ 23 ⑧ ◎ 23 ⑧ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ◎ 23 ⑨ ○ 20 ⑨ ◎ 20 ⑨ ○ 20 ∅

Take "Function Selection-Pure Cooking" as an example:

Click the continue button to continue cooking	After clicking, it will beep once, and the steam oven will continue to cook	下午218 ④ 81% ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● 81% ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
Click the stop button to stop the current cooking	After clicking, there will be a beep, the oven will stop working and return to the main interface	◆ 上午11:52 ④ 90% ● 集田 集田 集田 集田 集田 集田 集田

Note: There is no preset cooking time function for mobile phone operation